



**Patterson Buchanan  
Fobes & Leitch INC. P.S.**

**TOLL FREE** 800.722.3815  
PattersonBuchanan.com

**SEATTLE**

2112 THIRD AVENUE, #500  
SEATTLE, WA 98121  
P 206.462.6700 | F 206.462.6701

**PORTLAND**

1001 SW FIFTH AVENUE, #1100  
PORTLAND, OR 97204  
P 503.200.5400 | F 503.200.5401

**PRINCIPALS**

Michael A. Patterson (1947-2018)  
Patricia K. Buchanan\*  
Duncan K. Fobes\*  
Charles P. E. Leitch\*  
Donald F. Austin^•  
Keith A. Talbot  
Curtis M. Leonard  
Angela N. Marshlain\*  
Michael T. Kitson\*  
Megan F. Starks\*

**ASSOCIATES**

Jacob A. Blair◆  
Jason A. Burt  
Timothy H. Campbell\*\*  
Nicholas A. Carlson  
Erik R. Connell  
Adam G. Cuff\*

D. Jack Guthrie◆  
Brian J. Hansford  
Thomas E. Hudson  
Scott I. Jamieson  
Shirley S. Lou-Magnuson■  
Kelsey E. Norman

Timothy T. Parker  
Craig S. Peters  
Matthew F. Quigg  
Casey J. Schaub  
Lauren D. Sharkey\*  
Kristina B. Terrien

◆ Also admitted in Alaska  
^ Also admitted in California  
■ Also admitted in Hawaii  
• Also admitted in Idaho  
\*\* Also admitted in Montana  
\* Also admitted in Oregon

**OF COUNSEL**

Charles W. Lind  
Kevin J. Kay

May 13, 2019

**VIA EMAIL**

Mr. Sean J. Gamble  
Friedman Rubin  
1109 First Avenue, Suite 501  
Seattle WA 98101-2988


Ms. Jennifer Campbell  
Schwabe Williamson & Wyatt  
1420 5th Ave., Ste. 3400  
Seattle, WA 98101-4010

Re: *Bard, et al. v. Monroe School District, et al.*

Dear Mr. Gamble and Ms. Campbell:

As you are aware, at the time the Complaint for Damages in *Bard, et al. v. Monroe School District, et al.* was filed, the Monroe School District had possession of one steel drum that was believed to contain PCB materials. The steel drum was, and still is, being stored in a locked maintenance shed off school campus. Access was provided to this steel drum during the January 4, 2019 site inspection. Samples were taken and split among the parties. Since access has been provided to the parties and testing has been conducted, the District plans to dispose of the steel drum and the materials within it in accordance with EPA regulations. If you have any objection to the steel drum and its contents being disposed of at this time, please let us know. If we do not hear from you by end of business on Friday, May 17, we will advise the District it can move forward with disposal of the steel drum and the materials contained therein.

Very truly yours,



Michael T. Kitson

SIJ/twp  
772072

ED\_004522\_00089623-00001

Mr. Sean J. Gamble  
Ms. Jennifer Campbell  
May 13, 2019  
Page 2

cc:     *(via email)*  
Mr. John A. Mannix, Monroe School District  
Fredrika Smith, Ed.D., Monroe School District  
Ms. Allison Krashan, Schwabe Williamson & Wyatt  
Mr. Christopher J. Kerley, Evans, Craven & Lackie, P.S.